



Distributed in the Interest
of Product Development

VANDERBILT *Report*

Fine Fabric Wash No. 560

R.T. Vanderbilt Company, Inc.
30 Winfield Street, P.O. Box 5150, Norwalk, CT 06856-5150
Telephone: (203) 853-1400
Fax: (203) 853-1452, Web Site: www.rtvanderbilt.com

Before using, read, understand and comply with the information and precautions in the Material Safety Data Sheets, label and other product literature. The information presented herein, while not guaranteed, was prepared by technical personnel and, to the best of our knowledge and belief, is true and accurate as of the date hereof. No warranty, representation or guarantee, express or implied, is made regarding accuracy, performance, stability, reliability or use. This information is not intended to be all-inclusive, because the manner and conditions of use, handling, storage and other factors may involve other or additional safety or performance considerations. The user is responsible for determining the suitability of any material for a specific purpose and for adopting such safety precautions as may be required. R. T. Vanderbilt Company does not warrant the results to be obtained in using any material, and disclaims all liability with respect to the use, handling or further processing of any such material. No suggestion for use is intended as, and nothing herein shall be construed as, a recommendation to infringe any existing patent or to violate any federal, state or local law or regulation.

Fine Fabric Wash No. 560

VANZAN[®] Xanthan Gum thickens this fine fabric wash. The formula is designed to flow and dispense easily. The surfactants combine excellent foaming with mild cleaning properties.

Ingredients	% by Weight
A Water VANZAN , Xanthan Gum	76.52 0.75
B Disodium EDTA Witconate [™] AOS ¹ , Alpha Olefin Sulfonate Steol [®] CS-270 ² , Sodium Laureth-2 Sulfate Ammonyx [®] LO ² , Lauramine Oxide Dantoguard [®] Plus Liquid ³ , DMDM Hydantoin (and) Iodopropynyl Butylcarbamate	0.05 10.00 10.00 2.00 0.40
C Citric Acid, 20% solution	0.28

¹Akzo Nobel Industries Specialties, Inc., Chicago, IL

²Stepan Company, Northfield, IL

³Lonza, Inc., Fair Lawn, NJ

Procedure:

Step 1. Sift the **VANZAN** into an established vortex in water. Mix until completely dissolved.

Step 2. Add the disodium EDTA and mix until completely dissolved. Reduce mixing speed and add the remaining Part B ingredients in the order listed, mixing after each until homogeneous. Avoid air entrapment.

Step 3. Adjust to pH 7.5 ± 0.5 with the citric acid solution.

This formula passed three (3) months of laboratory stability testing at room temperature, 5°C, 38°C and 45°C, and 3-cycle freeze/thaw.

VANZAN is a registered trademark of R.T. Vanderbilt Company, Inc.

Witconate is a trademark of Akzo Nobel Industries.

Steol and Ammonyx are registered trademarks of Stepan Company.

Dantoguard is a registered trademark of Lonza, Inc.

RV0404

**For additional information regarding our
high quality minerals and chemicals,
please visit our website:**

www.rtvanderbilt.com

- Technical data sheets
- MSDS information
- Sample requests
- Specifications
- Product brochures
- Articles
- Presentations
- Reports