



R. T. Vanderbilt Company, Inc.

INDUSTRIAL MINERALS AND CHEMICALS

30 WINFIELD STREET, P.O. BOX 5150. NORWALK, CONNECTICUT 06856-5150 • (203) 853-1400
Fax (203) 853-1452 • Internet Address: www.rtvanderbilt.com

Specification

VEEGUM® K Granules EP Magnesium Aluminum Silicate

June 4, 2009

RTV Product Code: 71850
Composition: Magnesium Aluminium Silicate, purified smectite clay
Physical State: Off-white granules

	<u>Specification</u>	<u>Test Method</u>
*Aluminium Content	Report	Current Volume EP
*Magnesium Content	Report	Current Volume EP
*Arsenic Content	3 ppm maximum	Current Volume EP
*Identification	Pass/Fail	Current Volume EP
*Lead Content	15 ppm maximum	Current Volume EP
*Microbiology	**No more than 1000 cfu/g bacteria **No more than 100 cfu/g yeast and mold **No Escherichia coli	Current Volume EP Current Volume EP Current Volume EP
*Moisture Content	8.0 maximum	Current Volume EP
*pH, 5% Dispersion	9.0-10.0	Current Volume EP

GENERAL INFORMATION

Typical values not routinely measured or reported on the Certificate of Analysis.

Solubility - Insoluble, but dispersible in water

*Certified Property

**R.T. Vanderbilt Company certifies this result based on actual testing or the use of an irradiation process validated to achieve the indicated result.

VEEGUM K Granules EP is European Pharmacopeia Aluminium Magnesium Silicate

Uses - Please refer to VEEGUM Bulletin and Formulary

VEEGUM is a registered trademark of R.T. Vanderbilt Company, Inc.

The information presented herein, while not guaranteed, was prepared by technical personnel and, to the best of our knowledge and belief, is true and accurate as of the date hereof. No warranty, representation or guarantee, express or implied, is made regarding accuracy, performance, stability, reliability or use. This information is not intended to be all-inclusive, because the manner and conditions of use, handling, storage and other factors may involve other or additional safety or performance considerations. The user is responsible for determining the suitability of any material for a specific purpose and for adopting such safety precautions as may be required. R.T. Vanderbilt Company does not warrant the results to be obtained in using any material, and disclaims all liability with respect to the use, handling or further processing of any such material. No suggestion for use is intended as, and nothing herein shall be construed as, a recommendation to infringe any existing patent or to violate any federal, state or local law or regulation.